## Mom ★ CONGRESS™



Maternal mental health disorders like postpartum depression are the #1 most common complication of childbirth.

<sup>Up</sup> 1 in 5


women will suffer from a maternal mental health disorder like postpartum depression<sup>1</sup>





less 15%

of women receive treatment <sup>2</sup>



1 in 7

will experience depression during pregnancy <sup>3</sup>



Up 50%

of women living in poverty will suffer from a maternal mental health disorder<sup>4,5</sup>



**NOT JUST MOMS** 

Maternal mental health disorders impact the whole family, not just women <sup>6</sup>



More Than **600.000** 

women will suffer from a maternal mental health disorder in the United States every year <sup>7</sup>



Anxiety and depression have risen

 $37\%_{\text{girls}}^{\text{in teen}}$ 

This will increase the number of women suffering postpartum depression in the future <sup>5</sup>



1 in 10

Dads will experience a perinatal mental health disorder following the birth of their child. <sup>6</sup>



Who are we?

Moms from all across the country with varied backgrounds, professions, ethnicities, and worldviews are coming together to recognize the power of a collective voice and the importance of family-centered policies.

## **Mom-Congress.com**

1. CDC Depression among Women, https://www.cdc.gov/reproductivehealth/depression/index.htm. Accessed April 25, 2019. 2. Byatt N, et al. Enhancing participation in depression care in outpatient perinatal care settings: a systematic review. Obstet Gynecol. 2015;126(5):1048-1058. 3. Black R. Depression During Pregnancy: Millennials Suffer More than Previous Generation, https://www.psycom.net/depression-pregnancy. Accessed April 19, 2019. 4. Dolbier CL, et al. Relationships of race and socioeconomic status to postpartum depressive symptoms in rural African American and non-Hispanic white women. Matern Child Health J. 2013;17(7):1277-87. 5. Chung EK, et al. Maternal depressive symptoms and infant health practices among low-income women. Pediatrics. 2004;113(6):e523-e9. 6. Kim P, Swain JE. Sad dads: paternal postpartum depression. Psychiatry. 2007;4(2):35-47. 7. O'Hara MW, Engeldinger J. Treatment of postpartum depression: recommendations for the clinician. Clinical Obstetrics and gynecology. 2018 Sep 1;61(3):604-14. 8. Mojtabai R, et al. National trends in the prevalence and treatment of depression in adolescents and young adults. Pediatrics. 2016 Dec;138(6).